Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	668	sensor and (magnetoresistive or magneto$3resistive or (magneto adj2 resistive)) and (permanent adj3 magnet$2) and (pinned or pin or pinning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:23
L2	640	magnetization same ((pinned or pin or pinning) near30 angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:59
L3	123	l1 and l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:55
L4	199071	permanent adj2 magnet$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:56
L5	1	("20030206384").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L6	0	("l4andl5").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L7	0	("l4andl5").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L8	0	l4 and l5	USPAT	OR	OFF	2006/01/17 14:56
L9	200050	permanent adj3 magnet$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:57
L10	1	l5 and l9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59
L11	1672779	electrode$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59

L12	1	l5 and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59
L13	469	magnetization same (pinned near8 angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:59
L14	419	magnetization near20 (pinned near8 angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:59
L15	49075	angle near8 ("45" adj3 degree$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:00
L16	15	l14 and l15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:12
L17	200050	permanent adj3 magnet$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:13
L18	1	l16 and l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:13
L19	23881	hard adj3 magnetic$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:13

L20	4	l16 and l19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	668	sensor and (magnetoresistive or magneto$3resistive or (magneto adj2 resistive)) and (permanent adj3 magnet$2) and (pinned or pin or pinning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:23
L2	640	magnetization same ((pinned or pin or pinning) near30 angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:24
L3	123	l1 and l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:55
L4	199071	permanent adj2 magnet$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:56
L5	1	("20030206384").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L6	0	("l4andl5").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L7	0	("l4andl5").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/17 14:56
L8	0	l4 and l5	USPAT	OR	OFF	2006/01/17 14:56
L9	200050	permanent adj3 magnet$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:57
L10	1	l5 and l9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59
L11	1672779	electrode$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59

L12	1	l5 and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:59